



Optimization of Travelling Salesman Problem on Single Valued Triangular Neutrosophic Number using Dhouib-Matrix-TSP1 Heuristic

S. Dhouib*

Department of Industrial Management, Higher Institute of Industrial Management, University of fax, Tunisia

PAPER INFO

Paper history:

Received 25 July 2021

Received in revised form 29 August 2021

Accepted 20 September 2021

Keywords:

Artificial Intelligence

Combinatorial Optimization

Dhouib-Matrix-TSP1 Heuristic

Fuzzy Number

Neutrosophic Number

Operational Research

Travelling Salesman Problem

ABSTRACT

The Travelling Salesman Problem (TSP) is one of the fundamental operational research problems where the objective is to generate the cheapest route for a salesman starting from a given city, visiting all the other cities only once and finally returning to the starting city. In this paper, we study the Travelling Salesman Problem in uncertain environment. Particularly, the single valued triangular neutrosophic environment is considered viewing that it is more realistic and general in real-world industrial problems. Each element in the distance matrix of the Travelling Salesman Problem is presented as a single valued triangular neutrosophic number. To solve this problem, we enhance our novel column-row heuristic Dhouib-Matrix-TSP1 by the means of the center of gravity ranking function and the standard deviation metric. In fact, the center of gravity ranking function is applied for defuzzification in order to convert the single valued triangular neutrosophic number to crisp number. A stepwise application of several numerical Travelling Salesman Problems on the single valued triangular neutrosophic environment shows that the optimal or a near optimal solution can be easily reached; thanks to the Dhouib-Matrix-TSP1 heuristic enriched with the center of gravity ranking function and the standard deviation metric.

doi: 10.5829/ije.2021.34.12c.09

1. INTRODUCTION

In 1995, Smarandache [1] introduced the philosophy of neutrosophic which covers wide concepts more than the intuitionistic (that can handle only the incomplete information); which consists of: set, probability, statistics, logic and theory. The neutrosophic number can handle three independent memberships: Truth (T), Indeterminacy (I) and Falsity (F), where T , I and F are subsets of $[0, 1^+]$.

Several recent research papers deal with the application of neutrosophic concept. Ibrahem et al. [2] developed a neutrosophic analytical hierarchy process model to measure the degree of credit risk for a private Bank. Khalifa Abd El-Wahed and Kumar [3] solved the neutrosophic assignment problem where the matrix elements; they presented as interval-valued trapezoidal neutrosophic number using the order relations technique.

Moreover, Hamiden [4] used the weighting Tchebycheff technique to generate a relative weights and ideal targets for the multi-objective assignment problem in the neutrosophic trapezoidal fuzzy situation. Prabha and Vimala [5] optimized the triangular fuzzy neutrosophic assignment problem is using the branch and bound technique and the efficiency is illustrated on a real-world agricultural problem. Chakraborty et al. [6] deigned a new score and accuracy technique is to convert the pentagonal neutrosophic fuzzy numbers into crisp numbers for the transportation problem in pentagonal neutrosophic environment.

Subasri and Selvakumari [7] solved the travelling salesman problem in neutrosophic environment with trapezoidal fuzzy distance via the branch and bound method. In addition, Subasri and Selvakumari [8] optimized the TSP in neutrosophic domain using

*Corresponding Author Institutional Email:
dhouib.matrix@gmail.com (Souhail Dhouib)

triangular fuzzy distance through the ones assignment method.

Obviously, the TSP is an NP-complete problem [9]. Its objective is to find the cheapest route of a salesman starting from a given city, visiting all the other cities only once and finally returning to the starting city. This problem has been formulated by Equation (1):

$$\begin{aligned} & \sum_{i=1}^n \sum_{j=1}^n d_{ij} p_{ij} \\ & \sum_{j=1}^n p_{ij} = 1, \quad i = 1, \dots, n \\ & \sum_{i=1}^n p_{ij} = 1, \quad j = 1, \dots, n \\ & p_{ij} = 0 \text{ or } 1, \quad i = 1, \dots, n, \quad j = 1, \dots, n \end{aligned} \tag{1}$$

Where p_{ij} is a binary variable (if city i and city j are not connected then $p_{ij} = 0$ else $p_{ij} = 1$) and d_{ij} denotes the distance between city i and city j .

Our investigation shows that all of the research papers in the field of neutrosophic theory in operational research were intensive on the transportation problem and the assignment problem. Likewise, very limited number of research papers focused on solving the TSP in neutrosophic environment. Motivated by the above-mentioned problem, this paper proposes the first resolution of the TSP in single valued triangular neutrosophic environment with center of gravity score function. In fact, each element d_{ij} in the TSP distance matrix is considered as a single valued triangular neutrosophic distance and defuzzied to crisp number using the center of gravity score function. Hence, this TSP is optimized by our recently invented heuristic [10] entitled Dhouib-Matrix-TSP1 (DM-TSP1). Moreover, this paper presents the first application of the DM-TSP1 to the neutrosophic domains.

The rest of this paper is structured as follows. In section 2, we study the neutrosophic number concept. In section 3, we present the proposed DM-TSP1 heuristic enriched with the center of gravity ranking function. In section 4, we illustrate the resolution by applying the adapted DM-TSP1 technique on several numerical examples. Finally, in section 5 we present the conclusion and our further research work.

2. THE TRINAGULAR NEUTROSOPHIC NUMBER

This section gives a brief overview of the triangular neutrosophic concept [11, 12]. The triangular fuzzy number \tilde{Y}^c is denoted by $\tilde{Y}^c = (y_a, y_b, y_c)$ where y_a, y_b and y_c are real numbers with $y_a \leq y_b \leq y_c$. Let's

consider X a space of points where the generic elements in X are denoted by x .

The single valued triangular neutrosophic number Y^N over X has the form of $Y^N = \{ \langle x : T_{Y^N}(x), I_{Y^N}(x), F_{Y^N}(x) \rangle, x \in X \}$ where the functions $T_{Y^N}, I_{Y^N}, F_{Y^N} : X \rightarrow]0, 1^+]$ with the condition $0 \leq T_{Y^N}(x) + I_{Y^N}(x) + F_{Y^N}(x) \leq 3^+$.

The truth (T), indeterminacy (I) and falsity (F) membership functions for the single valued triangular neutrosophic number $Y^N = \langle [y_a, y_b, y_c]; (\mu_{Y^N}, \nu_{Y^N}, \lambda_{Y^N}) \rangle$ are defined by Equation (2):

$$\begin{aligned} T_{Y^N}(x) &= \begin{cases} \frac{(x - y_a)\mu_{Y^N}}{y_b - y_a}, & y_a \leq x \leq y_b \\ \frac{(y_c - x)\mu_{Y^N}}{y_c - y_b}, & y_b \leq x \leq y_c \\ 0, & \text{otherwise} \end{cases} \\ I_{Y^N}(x) &= \begin{cases} \frac{y_b - x + (x - y_a)\nu_{Y^N}}{y_b - y_a}, & y_a \leq x \leq y_b \\ \frac{x - y_b + (y_c - x)\nu_{Y^N}}{y_c - y_b}, & y_b \leq x \leq y_c \\ 0, & \text{otherwise} \end{cases} \\ F_{Y^N}(x) &= \begin{cases} \frac{y_b - x + (x - y_a)\lambda_{Y^N}}{y_b - y_a}, & y_a \leq x \leq y_b \\ \frac{x - y_b + (y_c - x)\lambda_{Y^N}}{y_c - y_b}, & y_b \leq x \leq y_c \\ 0, & \text{otherwise} \end{cases} \end{aligned} \tag{2}$$

3. THE PROPOSED METHOD: Dhouib-Matrix-TSP1 (DM-TSP1)

We designed and developed a novel column-row method namely DM-TSP1 to solve the TSP [10]. Then, we adapted the DM-TSP1 heuristic for the case of: the trapezoidal fuzzy TSP [13] and the octagonal fuzzy TSP [14]. Moreover, a stochastic version of DM-TSP1 named DM-TSP2 was performed [15]. More recently, we invent a simple heuristic, entitled Dhouib-Matrix-TP1, in order to optimize the transportation problem [16]. This paper introduces the first resolution of the TSP in single valued

triangular neutrosophic environment. Furthermore, this paper also presents the first application of our DM-TSP1 heuristic on the neutrosophic environment.

The DM-TSP1 heuristic starts by the defuzzification of the single valued triangular neutrosophic number to crisp value using the center of gravity (COG) ranking function described by Broumi et al. [17]. For a triangular fuzzy distance $Y^N = [y_a, y_b, y_c]$ with $y_a \leq y_b \leq y_c$, the COG is computed as Equation (3):

$$COG(Y^N) = \frac{1}{4}[y_a + 2 \times y_b + y_c] \quad (3)$$

Thus, the score and the accuracy functions for the single valued triangular neutrosophic number $Y^N = \langle [y_a, y_b, y_c]; (\mu_{Y^N}, \nu_{Y^N}, \lambda_{Y^N}) \rangle$ are defined as follows:

$$S(Y^N) = COG(Y^N) \times \frac{2 + \mu_{Y^N} - \nu_{Y^N} - \lambda_{Y^N}}{3} \quad (4)$$

$$a(Y^N) = COG(Y^N) \times \frac{2 + \mu_{Y^N} - \nu_{Y^N} + \lambda_{Y^N}}{3}$$

Here is an example of single valued triangular neutrosophic number $Y^N = \langle (3, 6, 9), 0.9, 0.5, 0.1 \rangle$ which can be converted into a crisp number (with the value equal to 4.60) by the means of Equations (3) and (4):

$$COG(Y^N) = \frac{1}{4}[3 + 2 \times 6 + 9] = 6$$

And

$$S(Y^N) = 6 \times \frac{2 + 0.9 - 0.5 - 0.1}{3} = 4.60$$

Figure 1 depicts the graphical representation of the single valued triangular neutrosophic number $Y^N = \langle (3, 6, 9), 0.9, 0.5, 0.1 \rangle$.




Figure 3. Graphical representation of the single valued neutrosophic number

The DM-TSP1 is composed of four steps iterated in a sequential manner as described in Figure 2:

Step 1

- Compute the standard deviation for each row and write it on the right-hand side of the matrix. Next, find the minimum standard deviation value and select its row. Then, select the smallest element in this row which will specify the two first cities x and y to be inserted in the list *List-cities* {x, y}. Finally, discard the respected columns of city x and city y.

Step 2

- Find the minimum element for city x and for city y and select the smallest distance which will indicate city z.

Step 3

- Add city z to the list *List-cities* and discard its column. Next, go to step 2 if there is not a discarded column otherwise go to step 4.

Step 4

- Modify the realizable solution in *List-cities* in order to generate a cycle (the starting city in the cycle has to be also the last one). First, to ensure that the starting city will be at the first position, translate all the cities (one by one) before the starting one at the end of the list. Second, duplicate the starting city at the last position.

Figure 2. The four steps of the DM-TSP1 heuristic

The DM-TSP1 heuristic is developed using the Python programming language in a sequential structure. However, we will look in a further research to insert the DM-TSP1 in a multi-agent structure as reported in literature [18, 19, 20] using different metric functions (Min, Max, Standard Deviation) in each agent.

4. COMPUTATIONAL RESULTS

Three numerical examples are used to prove the performance of the proposed DM-TSP1 heuristic.

4.1. Numerical Example 1

Consider the following symmetric TSP with single valued triangular neutrosophic distance (see Figure 3).

$$\begin{pmatrix} \infty & d_{12} & d_{13} & d_{14} \\ d_{21} & \infty & d_{23} & d_{24} \\ d_{31} & d_{32} & \infty & d_{34} \\ d_{41} & d_{42} & d_{43} & \infty \end{pmatrix}$$

Figure 3. The single valued triangular neutrosophic distance matrix

Where:

$$d_{12} = \langle (4, 6, 10); 0.8, 0.4, 0.2 \rangle, d_{13} = \langle (2, 5, 9); 0.7, 0.6, 0.3 \rangle$$

$$d_{14} = \langle (4, 7, 9); 0.6, 0.6, 0.3 \rangle, d_{21} = \langle (4, 6, 10); 0.8, 0.4, 0.2 \rangle$$

$$d_{23} = \langle (1, 5, 8); 0.8, 0.5, 0.2 \rangle, d_{24} = \langle (2, 7, 9); 0.8, 0.5, 0.4 \rangle$$

$$d_{31} = \langle (2, 5, 9); 0.7, 0.6, 0.3 \rangle, d_{32} = \langle (1, 5, 8); 0.8, 0.5, 0.2 \rangle$$

$$d_{34} = \langle (1, 5, 10); 0.8, 0.3, 0.1 \rangle, d_{41} = \langle (4, 7, 9); 0.6, 0.6, 0.3 \rangle$$

$$d_{42} = \langle (2, 7, 9); 0.8, 0.5, 0.4 \rangle, d_{43} = \langle (1, 5, 10); 0.8, 0.3, 0.1 \rangle$$

For all single valued triangular neutrosophic distance in the TSP distance matrix will be converted into crisp numbers by using Equations (3) and (4). Here is an example, the single valued triangular neutrosophic distance $\langle (4, 6, 10); 0.8, 0.4, 0.2 \rangle$ in the element d_{12} is converted into the crisp distance equal to 4.76 by:

$$COG(d_{12}) = \frac{1}{4}[4 + 2 \times 6 + 10] = 6.50$$

and

$$S(d_{12}) = 6.50 \times \frac{2 + 0.8 - 0.4 - 0.2}{3} = 4.77$$

Similarly proceeding for all single valued triangular neutrosophic distance we get the crisp distance matrix (see Figure 4).

∞	4.77	3.15	3.83
4.77	∞	3.33	3.96
3.15	3.33	∞	4.20
3.83	3.96	4.20	∞

Figure 4. The crisp distance matrix

Now, from the given crisp distance matrix the standard deviation for each row is computed and the smallest standard deviation value is selected which is 1.59 in row 3 (see Figure 5) and finding its minimal element (at position d_{31}).

∞	4.77	3.15	3.83	1.79
4.77	∞	3.33	3.96	1.81
3.15	3.33	∞	4.20	1.59
3.83	3.96	4.20	∞	1.74

Figure 5. Select the element d_{31}

Insert cities 3 and 1 in the *List-cities* {3-1} and discard their columns. Next, select the smallest values for row 3 and row 1 (see Figure 6).

∞	4.77	3.15	3.83
4.77	∞	3.33	3.96
3.15	3.33	∞	4.20
3.83	3.96	4.20	∞

Figure 6. Discard columns 3 and 1

The smallest value is in row 3 is at position d_{32} . Thus, insert city 2 at the left side (because it is generated from city 3) in the *List-cities* {2-3-1} and discard column 2 (see Figure 7).

∞	4.77	3.15	3.83
4.77	∞	3.33	3.96
3.15	3.33	∞	4.20
3.83	3.96	4.20	∞

Figure 7. Discard column 1

Similarly, select the smallest element in rows 1 and 2, which is 3.83 at position d_{14} . Then, insert city 4 at the right side (because it is generated from city 1) in the *List-cities* {2-3-1-4} and discard column 4 (see Figure 8)

∞	4.77	3.15	3.83
4.77	∞	3.33	3.96
3.15	3.33	∞	4.20
3.83	3.96	4.20	∞

Figure 8. Discard column 4

Finally, if there is no more **columns** to select so the last step is to generate a cycle from the *List-cities* {2-3-1-4}. **Starts** by translating the city from left position to the right one until the city number 1 will be at the first position: so, translate city 2 to the last position to obtain {3-1-4-2}; hence, translate city 3 to the last position to get {1-4-2-3}. Finally, add city 1 to the last position to obtain the cycle {1-4-2-3-1}. Therefore, the crisp optimal solution found by the DM-TSP1 heuristic using the center of gravity ranking function is {1-4-2-3-1} = 3.83 + 3.96 + 3.33 + 3.15 = 14.27.

4.2. Numerical Example 2

Here is a second example, let us consider the following 5x5 distance matrix with single valued triangular neutrosophic number. Where:

$$\begin{aligned}
 d_{12} &= \langle (1, 9, 20); 0.9, 0.4, 0.1 \rangle, d_{13} = \langle (2, 9, 25); 0.8, 0.5, 0.1 \rangle \\
 d_{14} &= \langle (5, 7, 9); 0.9, 0.7, 0.1 \rangle, d_{15} = \langle (2, 9, 19); 0.4, 0.4, 0.3 \rangle \\
 d_{21} &= \langle (1, 9, 20); 0.9, 0.4, 0.1 \rangle, d_{23} = \langle (3, 9, 14); 0.7, 0.3, 0.3 \rangle \\
 d_{24} &= \langle (5, 8, 13); 0.6, 0.2, 0.4 \rangle, d_{25} = \langle (7, 9, 18); 0.4, 0.1, 0.1 \rangle \\
 d_{31} &= \langle (2, 9, 25); 0.8, 0.5, 0.1 \rangle, d_{32} = \langle (3, 9, 14); 0.7, 0.3, 0.3 \rangle \\
 d_{34} &= \langle (4, 8, 17); 0.8, 0.5, 0.2 \rangle, d_{35} = \langle (5, 9, 15); 0.9, 0.6, 0.1 \rangle \\
 d_{41} &= \langle (5, 7, 9); 0.9, 0.7, 0.1 \rangle, d_{42} = \langle (5, 8, 13); 0.6, 0.2, 0.4 \rangle \\
 d_{43} &= \langle (4, 8, 17); 0.8, 0.5, 0.2 \rangle, d_{45} = \langle (1, 9, 16); 0.7, 0.4, 0.3 \rangle \\
 d_{51} &= \langle (2, 9, 19); 0.4, 0.4, 0.3 \rangle, d_{52} = \langle (7, 9, 18); 0.4, 0.1, 0.1 \rangle \\
 d_{53} &= \langle (5, 9, 15); 0.9, 0.6, 0.1 \rangle, d_{54} = \langle (1, 9, 16); 0.7, 0.4, 0.3 \rangle
 \end{aligned}$$

Figure 9 depicts the five steps needed to solve the 5x5 distance matrix with single valued triangular neutrosophic number.




Figure 9. Just 5 steps to solve the 5x5 distance matrix

4.3. Numerical example 3

Let us consider the following 5x5 distance matrix where the distance d_{ij} are presented as follows:

$$\begin{aligned}
 d_{12} &= \langle (2, 8, 18); 0.8, 0.3, 0.2 \rangle, d_{13} = \langle (1, 9, 24); 0.9, 0.6, 0.2 \rangle \\
 d_{14} &= \langle (4, 9, 15); 0.6, 0.5, 0.2 \rangle, d_{15} = \langle (3, 6, 13); 0.6, 0.3, 0.3 \rangle \\
 d_{21} &= \langle (2, 8, 18); 0.8, 0.3, 0.2 \rangle, d_{23} = \langle (6, 9, 19); 0.9, 0.4, 0.1 \rangle \\
 d_{24} &= \langle (1, 7, 12); 0.9, 0.1, 0.2 \rangle, d_{25} = \langle (5, 9, 18); 0.9, 0.8, 0.2 \rangle \\
 d_{31} &= \langle (1, 9, 24); 0.9, 0.6, 0.2 \rangle, d_{32} = \langle (6, 9, 19); 0.9, 0.4, 0.1 \rangle \\
 d_{34} &= \langle (3, 8, 23); 0.7, 0.1, 0.1 \rangle, d_{35} = \langle (2, 8, 32); 0.6, 0.5, 0.4 \rangle \\
 d_{41} &= \langle (4, 9, 15); 0.6, 0.5, 0.2 \rangle, d_{42} = \langle (1, 7, 12); 0.9, 0.1, 0.2 \rangle \\
 d_{43} &= \langle (3, 8, 23); 0.7, 0.1, 0.1 \rangle, d_{45} = \langle (2, 5, 11); 0.9, 0.3, 0.1 \rangle
 \end{aligned}$$

$$\begin{aligned}
 d_{51} &= \langle (3, 6, 13); 0.6, 0.3, 0.3 \rangle, d_{52} = \langle (5, 9, 18); 0.9, 0.8, 0.2 \rangle \\
 d_{53} &= \langle (2, 8, 32); 0.6, 0.5, 0.4 \rangle, d_{54} = \langle (2, 5, 11); 0.9, 0.3, 0.1 \rangle
 \end{aligned}$$

Figure 10 depicts the five steps needed to solve the 5x5 distance matrix with single valued triangular neutrosophic number.




Figure 10. Just 5 steps to solve the 5x5 distance matrix

5. CONCLUSIONS

The Travelling Salesman Problem aims to generate the shortest cycle among all cities where each city is visited only once except the first city which should be revisited at the end.

Neutrosophic philosophy can be used to solve many real-life problems like the travelling salesman problem. In this research work, the Dhouib-Matrix-TSP1 heuristic is proposed for solving the neutrosophic triangular fuzzy travelling salesman problem using center of gravity ranking function. The efficiency of this heuristic was proved by solving several numerical case studies.

Our further research work will be focused on adapting the Dhouib-Matrix-TSP1 heuristic to solve other neutrosophic forms (trapezoidal, octagonal, etc.) using different score functions and on enhancing the Dhouib-Matrix-TSP1 to solve the neutrosophic environment in the multi-objective travelling salesman problem widely occurred in real life industrial situations.

REFERENCES

1. Smarandache F., "A Unifying Field in Logics: Neutrosophic Logic. Neutrosophy, Neutrosophic Set, Neutrosophic Probability and Statistics", *Infinite Study*, (2005), DOI: 10.5281/zenodo.8792.
2. Ibrahim A. N., Elghareeb H., Farahat F. F. and AboElfotouh A., "Comparative Mathematical Model for Predicting of Financial Loans Default using Altman Z-Score and Neutrosophic AHP

- Methods", *Neutrosophic Sets and Systems*, Vol. 43, (2021), DOI: 10.5281/zenodo.4914802.
3. Khalifa Abd El-Wahed H. and Kumar P., "A Novel Method for Solving Assignment Problem by Using Interval-Valued Trapezoidal Neutrosophic Number", *Neutrosophic Sets and Systems*, Vol. 36, (2020), 24-36, DOI: 10.5281/zenodo.4065363.
 4. Hamiden Khalifa, "An Approach to The Optimization of Multi-Objective Assignment Problems with Neutrosophic Numbers", *International Journal of Industrial Engineering & Production Research*, Vol. 31, No. 2, (2020), 287-294, DOI: 10.22068/ijiepr.31.2.287.
 5. Prabha K. S. and Vimala S., "Neutrosophic Assignment Problem via BnB Algorithm", *Advances in Algebra and Analysis, Trends in Mathematics*, (2019), 323-330, DOI: 10.1007/978-3-030-01120-8_37.
 6. Chakraborty A., Broumi S. and Singh K. P., "Some properties of Pentagonal Neutrosophic Numbers and its Applications in Transportation Problem Environment", *Neutrosophic Sets and Systems*, Vol.28, (2019), 200-215, DOI: 10.5281/zenodo.3382542.
 7. Subasri S. and Selvakumari K., "Neutrosophic Travelling Salesman Problem in Trapezoidal Fuzzy number using Branch and Bound Technique", *Journal of Physics: Conference Series*, (2019), DOI:10.1088/1742-6596/1362/1/012098.
 8. Subasri S. and Selvakumari K., "Solving Neutrosophic Travelling Salesman Problem in Triangular Fuzzy Number Using Ones Assignment Method", *Eurasian Journal of Analytical Chemistry*, Vol. 13, (2018), 285-291, DOI: 10.5281/zenodo.3133798.
 9. Abbasi M. and Rafiee M., "Efficient Parallelization of a Genetic Algorithm Solution on the Traveling Salesman Problem with Multi-core and Many-core Systems", *International Journal of Engineering*, Vol. 33, No. 7, (2020), 1257-1265, DOI: 10.5829/ije.2020.33.07a.12.
 10. Dhoub S., "A New Column-Row Method for Traveling Salesman Problem: The Dhoub-Matrix-TSP1", *International Journal of Recent Engineering Science*, Vol. 8, No. 1, (2021), 6-10, DOI: 10.14445/23497157/IJRES-V8I1P102.
 11. Deli I., and Şubaş Y., "A ranking method of single valued neutrosophic numbers and its applications to multi-attribute decision making problems", *International Journal of Machine Learning and Cybernetics*, Vol. 8, (2017), 1309–1322, DOI: 10.1007/s13042-016-0505-3.
 12. Wang H., Smarandache F., Zhang Y. and Sunderraman R., "Single valued neutrosophic sets", *Technical Sciences and Applied Mathematics*, Vol. 4, (2010), 10–14, DOI: 10.1007/s13042-016-0505-3.
 13. Dhoub Sa. and Dhoub S., "Optimizing the Trapezoidal Fuzzy Travelling Salesman Problem Through Dhoub-Matrix-TSP1 Method Based on Magnitude Technique", *International Journal of Scientific Research in Mathematical and Statistical Sciences*, 2021, Vol. 8, No. 2, (2021), 1-4, DOI: 10.26438/ijrmss/v8i2.14.
 14. Miledi M., Dhoub S. and Loukil T., "Dhoub-Matrix-TSP1 Method to Optimize Octagonal Fuzzy Travelling Salesman Problem Using α -Cut Technique", *International Journal of Computer and Information Technology*, Vol. 10, No. 3, (2021), 130-133, DOI: 10.24203/ijcit.v10i3.105.
 15. Dhoub S., "Minimizing the Total Distance for the Supply Chain Problem Using Dhoub-Matrix-TSP2 Method", *International Journal of Advanced Research in Engineering and Technology*, Vol. 12, No. 5, (2021), 1-12, DOI: 10.34218/IJARET.12.5.2021.001.
 16. Dhoub S., "A Novel Heuristic for the Transportation Problem: Dhoub-Matrix-TP1", *International Journal of Recent Engineering Science*, Vol. 8, No. 4, (2021), 1-5, DOI: 10.14445/23497157/IJRES-V8I4P101.
 17. Broumi S., Nagarajan D., Bakali A., Talea M., Smarandache F. and Lathamaheswari M., "The shortest path problem in interval valued trapezoidal and triangular neutrosophic environment", *Complex & Intelligent Systems*, Vol. 5, (2019), 391–402, DOI: 10.1007/s40747-019-0092-5.
 18. Habibia M., Broumandnia A. and Harounabadic A., "Improvement of Multi-agent Routing Guidance with an Intelligent Traffic Light Scheduling and the Ability to Select Intermediate Destinations", *International Journal of Engineering, Transactions A:Basics*, Vol. 34, No. 4, (2021), 854-862, DOI: 10.5829/ije.2021.34.04a.11.
 19. Dhoub S., Kouraichi S., Loukil T. and Chabchoub H., "An Interactive Simulated Annealing Multi-agents platform to solve Hierarchical Scheduling Problems with Goals", *Studies in Computational Intelligence: Springer-Verlag*, Vol. 236, (2009), 177-187, DOI: 10.1007/978-3-642-03211-0_15.
 20. Dhoub S., "A threshold accepting framework to optimize discrete and continuous search space", *International Journal of Innovative Computing and Applications*, Vol. 2, No.3, (2010), 178 – 187, DOI: 10.1504/IJICA.2010.033649.

Persian Abstract

چکیده

مشکل فروشنده مسافر یکی از مشکلات اساسی تحقیقاتی عملیاتی است که هدف آن ایجاد ارزان ترین مسیر برای فروشنده ای است که از یک شهر شروع می شود، تنها یک بار از همه شهرهای دیگر دیدن کرده و در نهایت به شهر شروع باز می گردد. در این مقاله، مشکل فروشنده مسافر را در محیط نامشخص مطالعه می کنیم. به ویژه، محیط نوتروسوفی مثلثی با ارزش واحد در نظر گرفته می شود که در مشکلات صنعتی در دنیای واقعی واقع بینانه تر و کلی تر است. هر عنصر در ماتریس فاصله مسئله فروشنده مسافر به عنوان یک عدد نوتروسوفی مثلثی با ارزش واحد ارائه شده است. برای حل این مشکل، ما با استفاده از تابع رتبه بندی مرکز ثقل و معیار انحراف استاندارد، رمان ستون-ردیف ابتکاری Dhoub-Matrix-TSP1 خود را افزایش می دهیم. در واقع، تابع رتبه بندی مرکز ثقل برای کوره زدایی به منظور تبدیل عدد نوتروسوفی مثلثی با ارزش واحد به عدد ترد استفاده می شود. استفاده گام به گام از نمونه های آزمایشی عددی بر روی محیط نوتروسوفی مثلثی با ارزش تنها نشان می دهد که راه حل مطلوب یا تقریباً مطلوب و همچنین هزینه کل واضح و فازی را می توان به راحتی به لطف روش ابتکاری Dhoub-Matrix-TSP1 با مرکز غنی سازی به دست آورد. تابع رتبه بندی گرانس و معیار انحراف استاندارد بدست آورد.
